



MS - Manuscript SL - Straightline (rimless)

**Framing:** A three character "code" (two numbers and a letter) that describes the number, the position, and the character of the lines that frame the marking.

1st character The number of exterior frame lines

2nd character The number of interior frame lines

3rd character The nature of the outermost frame line

C - Cogged H - Heavy, (thick)

D - Dashed or dotted P - Plain, (thin)

F - Fancy R - Rimless (no exterior frame)

T - Toothed

By far the most commonly encountered combination of these codes will be "CI 10P" - A circular marking with one plain outer frame line and no inner frame line.

**Size:** The diameter, or width by height of the marking. A size will be given for each frame line, separated by "/". For straightline, irregular, pictorial, and rimless markings the extreme dimensions will be reported. Measurements are to the nearest half-millimeter. For an obviously distorted circular marking, an average diameter will be reported.

**5 - Description of Device** The layout of the date stamp is given.

T - Town, S - State, Z - Zip Code

( ) - the central portion of the date stamp.

m - month, d - day, h - hour, y- year

Additional information after the ( ) can be USPO, USPS, REG, etc.

[T(m/d/h)S]y shows a duplex cancel with the year between date stamp & grid.

**6 - Type of Device:** A four or five character abbreviation to describe the type of device used to create the postal marking.

Aux - Auxiliary, instructional handstamps of many types

Doane - Doane style postmarks

Dplx - Duplex (commonly with an oval, grid killer)

Flag - Machine Flag cancels

Hstp - Handstamp

Ijet - Ink Jet (spray) markings

Mach - Machine

Mscp - Manuscript

Pict - Pictorial postmarks of recent years

Rolr - Continuous, roller applied postmark

4bars - 4-bar handstamps of various types with "S" for size of bars.

**Killers and Comments:** A narrative description of the killer(s) used with the marking, and other comments about the marking.

Slogan postmarks will be described and the wording reported along with a description of any illustration included in the postal marking.

The descriptions, combined with the tracings, should make it possible to identify examples of each reported marking.

Items from the addendum are listed in bold & blue - **001**.

### **BROOMFIELD - Broomfield**

001	BROOMFIELD / COLO.	Mar 6, 1890	CI 10P ????	?	Hstp	Not recorded
002	BROOMFIELD / COLO.	May ?, 1891	CI 10P 28.0	T(m/d/y)S	Hstp	Not present
002	BROOMFIELD / COLO.	Jan 9, 1895	CI 10P 28.0	T(m/d/y)S	Hstp	Not recorded
003	BROOMFIELD / COLO.	Jun 8, 1898	CI 10P 27.5	T(d/m/y)S	Hstp	Target, 4 ring 16mm
003	BROOMFIELD / COLO.	Jul 11, 1898	CI 10P 27.5	T(d/m/y)S	Hstp	Target, 4 ring 16mm
003	BROOMFIELD / COLO.	Jan 30, 1899	CI 10P 27.5	T(d/m/y)S	Hstp	Not recorded
003	BROOMFIELD / COLO.	Mar 24, 1900	CI 10P 27.5	T(d/m/y)S	Hstp	Target, 4 ring 16mm
003	BROOMFIELD / COLO.	Aug 13, 1900	CI 10P 27.5	T(d/m/y)S	Hstp	Target, 4 ring 16mm
004.1	BROOMFIELD, / COLO. // R.F.D	Oct 10, 1900	SL 00R 27.0x15.0	RFD/T/m-d-y/S	RFD	5 bars with 1
004.1	BROOMFIELD, / COLO. // R.F.D	Nov 6, 1902	SL 00R 27.0x15.0	RFD/T/m-d-y/S	RFD	5 bars with 1
004.2	BROOMFIELD, / COLO. // R.F.D	Feb 2, 1901	SL 00R 25.0x16.0	RFD/T/m-d-y/S	RFD	5 bars with 2
004.2	BROOMFIELD, / COLO. // R.F.D	Jun 14, 1904	SL 00R 25.0x16.0	RFD/T/m-d-y/S	RFD	5 bars with 2e
<b>004.3</b>	<b>BROOMFIELD. COLO. / REGISTERED</b>	<b>Dec 13, 1912</b>	<b>CI 11P 32.0/21.0</b>	<b>T-S(m/d/y)Reg</b>	<b>Hstp</b>	<b>No killer</b>

006	BROOMFIELD / COLO.	Apr 15, 1909	CI 10P 30.0	T(m/d/h/y)S	Dplx	Grid, 9 bar oval
006	BROOMFIELD / COLO.	Oct 25, 1946	CI 10P 30.0	T(m/d/h/y)S	Dplx	Grid, 9 bar oval
007	BROOMFIELD / COLO.	Oct 8, 1949	CI 10P 30.0	T(m-d/h/y)S	Dplx	Grid, Diamond with 1
007	BROOMFIELD / COLO.	Mar 22, 1957	CI 10P 30.0	T(m-d/h/y)S	Dplx	Grid, Diamond with 1
007.1	BROOMFIELD, / COLO. Box	1950s	RC 10P 35.0x17.0	T/S	Hstp	No killer, Parcel Post
008	BROOMFIELD / COLO.	Apr 14, 1962	CI 10P 20.0	T(m-d/h/y)S	Mach	6 wavy lines
008	BROOMFIELD / COLO.	Dec 31, 1965	CI 10P 20.0	T(m-d/h/y)S	Mach	6 wavy lines
009	BROOMFIELD CO / 80020	Oct 27, 1966	CI 10P 33.0	T-S(m/d/h/y)Z	4bars	S-25x19mm
009	BROOMFIELD CO / 80020	Dec 13, 1975	CI 10P 33.0	T-S(m/d/h/y)Z	4bars	S-25x19mm
010	BROOMFIELD, CO / 80020	Feb 25, 1966	CI 10P 20.0	T-S(m-d/h/y)Z	Mach	6 wavy lines
010	BROOMFIELD, CO / 80020	May 18, 1974	CI 10P 20.0	T-S(m-d/h/y)Z	Mach	6 wavy lines
011	BROOMFIELD, CO / 80020	Nov 16, 1967	CI 10P 33.0	T-S(m/d/h/y)Z	4bars	S-24x20mm
011	BROOMFIELD, CO / 80020	Dec 30, 1977	CI 10P 33.0	T-S(m/d/h/y)Z	4bars	S-24x20mm
012	BROOMFIELD, CO / USPO	Feb 16, 1979	CI 11P 29.0/19.0	T-S(m/d/y)USPO	Hstp	No killer
012	BROOMFIELD, CO / USPO	Jun 3, 1991	CI 11P 29.0/19.0	T-S(m/d/y)USPO	Hstp	No killer
012.1	BROOMFIELD, CO / 80020	Oct 15, 1992	CI 10P 32.0	T-S(m/d/y)Z	4bars	S-24x19mm
013	BROOMFIELD, CO / USPO	Apr 14, 1993	CI 11P 29.0/19.0	T-S(m/d/y)USPS	Hstp	No killer; cut sq
014	BROOMFIELD CO 80020 / USPS	Sep 10, 1998	CI 11P 29.0/20.0	T-S-Z(m/d/y)USPS	Hstp	No Killer
<b>A01</b>	Broomfield	Jan 15, 1951	SL 00P 43.0x2m.0	Aux		Missent to Broomfield, CO
<b>A02</b>	Broomfield SENDER with 43 and reasons	Jun 10, 1975	SL 00P 79.0x24.0	Aux		Pointing hand; RETURNED / TO /

**A02** Broomfield Oct 21, 1975 SL 00P 79.0x24.0 Aux Pointing hand; RETURNED / TO /  
SENDER with 43 and reasons

**A03** Broomfield Dec 13, 1912 RC 00P 43.0x22.0 Aux Type I registration box:  
REGISTERED / NO.

**Broomfield - Eagle View Station**

001 BROOMFIELD CO 80021 // EAGLE VIEW STATION Jul 30, 2001 RC 10P 61.0x36.0 Sta/m-d-y/T-S-Z Pict Scene - Flag, Mountains,  
Eagle; Text - GRAND OPENING

002 Broomfield ::: EAGLE VIEW STA CO 80021 / USPS Jul 30, 2001 CI 11P 30.0/20.5 Sta-T-S(m/d/y)USPS Hstp No killer, No town in  
cds, opening day of station

**Broomfield - Mail Boxes, Etc.**

001 Broomfield, CO / 80020 / MAIL BOXES, ETC. Mar 29 2000 CI 11P 28.5/18.0 T-S-Z(m/d/y)Sta Hstp No killer