

IR - Irregular, (non-geometric) RC - Rectangular

MS - Manuscript SL - Straightline (rimless)

Framing: A three character "code" (two numbers and a letter) that describes the number, the position, and the character of the lines that frame the marking.

1st character The number of exterior frame lines

2nd character The number of interior frame lines

3rd character The nature of the outermost frame line

C - Cogged H - Heavy, (thick)

D - Dashed or dotted P - Plain, (thin)

F - Fancy R - Rimless (no exterior frame)

T - Toothed

By far the most commonly encountered combination of these codes will be "CI 10P" - A circular marking with one plain outer frame line and no inner frame line.

Size: The diameter, or width by height of the marking. A size will be given for each frame line, separated by "/". For straightline, irregular, pictorial, and rimless markings the extreme dimensions will be reported. Measurements are to the nearest half-millimeter. For an obviously distorted circular marking, an average diameter will be reported.

5 - Description of Device The layout of the date stamp is given.

T - Town, S - State, Z - Zip Code

() - the central portion of the date stamp.

m - month, d - day, h - hour, y- year

Additional information after the () can be USPO, USPS, REG, etc.

[T(m/d/h)S]y shows a duplex cancel with the year between date stamp & grid.

6 - Type of Device: A four or five character abbreviation to describe the type of device used to create the postal marking.

Aux - Auxiliary, instructional handstamps of many types

Doane - Doane style postmarks

Dplx - Duplex (commonly with an oval, grid killer)

Flag - Machine Flag cancels

Hstp - Handstamp

Ijet - Ink Jet (spray) markings

Mach - Machine
Mscp - Manuscript
Pict - Pictorial postmarks of recent years
Rolr - Continuous, roller applied postmark
4bars - 4-bar handstamps of various types with "S" for sixe of bars.

Killers and Comments: A narrative description of the killer(s) used with the marking, and other comments about the marking.
Slogan postmarks will be described and the wording reported along with a description of any illustration included in the postal marking.
The descriptions, combined with the tracings, should make it possible to identify examples of each reported marking.
Items from the addendum are listed in bold & blue - **001**.

CROWLEY - Crowley County

000.1	CROWLEY, / COLO.	Mar 30, 1917	CI 10P 32.0	T(m/d/h/y) S	4bar	S-??x20mm
001	CROWLEY, / COLO.	Apr 1, 1920	CI 10P 32.0	T(m/d/h/y) S	4bar	S-23x20mm
001	CROWLEY, / COLO. with UNCLAIMED / From Colorado Sprgs, Colo.	Dec 28, 1923	CI 10P 32.0	T(m/d/h/y) S	4bar	S-23x20mm, Forwarded,
001.1	CROWLEY, COLO.	Aug 1, 1931	CI 10P 31.0	T-S(m/d/h/y)	4bar	S-??x19mm
002	CROWLEY, / COLO.	Nov 23, 1931	CI 10P 31.0	T(m/d/h/y) S	4bar	S-??x20mm
002	CROWLEY, / COLO.	May 19, 1935	CI 10P 31.0	T(m/d/h/y) S	4bar	S-24x20mm
003	CROWLEY, COLO.	Oct 20, 1936	CI 10P 32.0	T-S(m/d/h/y)	4bar	S-25x20mm
004	CROWLEY / COLO.	Jun 12, 1937	CI 10P 32.0	T(m/d/h/y) S	4bar	S-??x19mm
004	CROWLEY / COLO.	Dec 2, 1941	CI 10P 32.0	T(m/d/h/y) S	4bar	S-23x19mm
005	CROWLEY / COLO.	Nov 10, 1942	CI 10P 33.0	T(m/d/h/y) S	4bar	S-24x19mm
005	CROWLEY / COLO.	Aug 26, 1944	CI 10P 33.0	T(m/d/h/y) S	4bar	S-24x19mm

006	CROWLEY / COLO.	Sep 1, 1948	CI 10P 30.0	T(m-d/h/y)S	Dplx	Grid, diamond with 1
006	CROWLEY / COLO.	May 8, 1959	CI 10P 30.0	T(m-d/h/y)S	Dplx	Grid, diamond with 1
006.1	CROWLEY, / COLO. Box	1950s	RC 10P 36.0x17.0	T/S	Hstp	No killer, Parcel Post
006.2	CROWLEY, CO / 81033	Oct 20, 1970	CI 10P 33.0	T-S(m/d/h/y)Z	4bar	S-24x20mm
006.2	CROWLEY, CO / 81033	Dec 14, 1971	CI 10P 33.0	T-S(m/d/h/y)Z	4bar	S-24x20mm
007	CROWLEY, CO / 81033	May 30, 1975	CI 10P 31.0	T-S(m/d/h/y)Z	4bar	S-24x19mm
007	CROWLEY, CO / 81033	Jan 29, 1976	CI 10P 31.0	T-S(m/d/h/y)Z	4bar	S-24x19mm
008	CROWLEY, CO / 81033	Nov 19, 1979	CI 10P 34.0	T-S(m/d/h/y)Z	4bar	S-24x21mm
008	CROWLEY, CO / 81033	Oct 10, 1981	CI 10P 34.0	T-S(m/d/h/y)Z	4bar	S-24x21mm
009	CROWLEY, CO / 81033	Feb 20, 1987	CI 10P 23.0	T-S(m-d/h/y)Z	Mach	7 wavy lines
010	CROWLEY, CO / USPO	May 14, 1997	CI 11P 32.0/20.0	T-S(m/d/y)USPO	Hstp	No killer

HESTER – Crowley County

001	HESTER, / COLO. not fully clear, this could possibly be a Doane 3/1)	Jan 21, 1911	CI 10P 32.0	T(m/d/y/h)S	Doane	S-23x14mm (the bars are
001	HESTER, / COLO. not fully clear, this could possibly be a Doane 3/1)	Mar 11, 1911	CI 10P 32.0	T(m/d/y/h)S	Doane	S-23x14mm (the bars are

MEREDITH – Crowley County

No postal markings reported.

OLNEY – Crowley County

001	OLNEY / COLO.	Dec 9, 189-	CI 10P 27.0	T(m/d/y)S	Hstp	Cork, smudge
001	OLNEY / COLO.	Jul 7, 1891	CI 10P 27.0	T(m/d/y)S	Hstp	Cork, smudge
001	OLNEY / COLO.	Jan 3, 1897	CI 10P 27.0	T(m/d/y)S	Hstp	Cork, smudge

001.1	OLNEY, / COLO.	Aug 21, 1906	CI 10P 31.0	T(m/d/y)S	Doane Type 3, with 4, S-??x14mm
001.1	OLNEY, / COLO.	Nov 24, 1906	CI 10P 31.0	T(m/d/y)S	Doane Type 3, with 4, S-??x14mm
002	OLNEY, / COLO.	Mar 21, 1904	CI 10P 31.0	T(m/d/y)S	Dplx Grid, 8-bar oval
002	OLNEY / COLO.	Sep 8, 1908	CI 10P 29.0	T(m/d/y)S	Dplx Grid, 8-bar oval
003	OLNEY, / COLO.	Apr 23, 1908	CI 10P 33.0	T(m/d/h/y)S	4bar S-??x14mm
003	OLNEY, / COLO.	May 26, 1909	CI 10P 33.0	T(m/d/h/y)S	4bar S-25x14mm
004	OLNEY, COLO. / REC'D.	Aug 5, 1906	CI 10P 32.0	T-S(m/d/h/y)Rec'd	Hstp No killer
004	OLNEY, COLO. / REC'D.	Jul 4, 1908	CI 10P 32.0	T-S(m/d/h/y)Rec'd	Hstp No killer
005	OLNEY, / COLO.	Jun 2, 1909	CI 10P 32.0	T(m/d/h/y)S	4bar S-23x13mm
005	OLNEY, / COLO.	Jun 5, 1909	CI 10P 32.0	T(m/d/h/y)S	4bar S-23x13mm

OLNEY SPRINGS - Crowley County

000.1	Olney Springs (RFD)	Jan 17, 1910	MS	RFD	Type 11F manuscript scribble pencil RFD marking
001	OLNEY SPRINGS, / COLO.	Jul 12, 1909	CI 10P 31.5	T(m/d/y/h)S	4bar S-25x14mm
001	OLNEY SPRINGS / COLO.	May 18, 1912	CI 10P 31.5	T(m/d/y/h)S	4bar S-25x14mm
001.1	OLNEY SPRINGS, COLO. / REC'D	Jul 10, 1909	CI 10P 32.5	T(m/d/y/h)S	Hstp No killer
001.1	OLNEY SPRINGS, COLO. / REC'D	Dec 22, 1909	CI 10P 32.5	T(m/d/y/h)S	Hstp No killer
002	OLNEY SPRINGS, / COLO.	Jul 28, 1913	CI 10P 31.5	T(m/d/y/h)S	4bar S-24x19mm
002	OLNEY SPRINGS, / COLO.	Aug 27, 1914	CI 10P 31.5	T(m/d/y/h)S	4bar S-24x19mm
002.1	OLNEY SPRINGS / COLO.	Jul 12, 1916	CI 10P 29.5	T(m/d/y/h)S	Dplx Grid ???
002.1	OLNEY SPRINGS / COLO.	May 12, 1917	CI 10P 29.5	T(m/d/y/h)S	Dplx Grid ???
003	OLNEY SPRINGS / COLO.	May 11, 1921	CI 10P 22.5	T(m-d/h/y)S	Mach 7 wavy lines
003	OLNEY SPRINGS / COLO.	Apr 2, 1934	CI 10P 22.5	T(m-d/h/y)S	Mach 7 wavy lines
004	OLNEY SPRINGS / COLO. M.O.B.	Mar 7, 1925	CI 11P 29.0/19.0	T(m/d/y)S-MOB	Hstp No killer

005	OLNEY SPRINGS / COLO.	Nov 14, 1938	CI 10P 30.0	T(m/h/d/y) S	Dplx	Grid, oval 9 bar
005	OLNEY SPRINGS / COLO.	May 9, 1960	CI 10P 30.0	T(m/h/d/y) S	Dplx	Grid, oval 9 bar
005.1	OLNEY SPRINGS / COLO.	Apr 5, 1962	CI 10P 32.0	T(m/d/h/y) S	4bar	S-24x20mm
006	OLNEY SPRINGS, COLO. / USPO	May 24, 1968	CI 11P 30.0/20.0	T-S(m/d/y) USPO	Hstp	No killer
007	OLNEY SPRINGS, CO / 81062	Sep 8, 1965	CI 10P 32.0	T-S(m/d/h/y) Z	4bar	S-24x20mm
007	OLNEY SPRINGS, CO / 81062	Jul 18, 1977	CI 10P 32.0	T-S(m/d/h/y) Z	4bar	S-24x20mm
007.1	OLNEY SPRINGS, CO / 81062	Nov 19, 1979	CI 10P 31.5	T-S(m/h/d/y) Z	4bar	S-22x17mm
007.1	OLNEY SPRINGS, CO / 81062	Jul 2, 1980	CI 10P 31.5	T-S(m/h/d/y) Z	4bar	S-22x17mm
008	OLNEY SPRINGS, CO / 81062	Oct 7, 1987	CI 10P 31.5	T-S(m/d/h/y) Z	4bar	S-??x17mm
008	OLNEY SPRINGS, CO / 81062	Mar 8, 1990	CI 10P 31.5	T-S(m/h/d/y) Z	4bar	S-??x17mm
009	OLNEY SPRINGS, CO / 81062	Dec 2, 1991	CI 10P 40.0	T-S(m/h/y/h) Z	4bar	S-??x21mm
009	OLNEY SPRINGS, CO / 81062	Apr 5, 1993	CI 10P 40.0	T-S(m/h/y/h) Z	4bar	S-??x21mm
010	OLNEY SPRINGS, CO / 81062	Apr 3, 1995	CI 10P 35.0	T-S(m/h/y/h) Z	4bar	S-25x20mm
011	OLNEY SPRINGS CO / 81062	May 14, 1997	CI 10P 34.0	T-S(m/d/y/) Z	4bar	S-12x23mm
ORDWAY – Crowley County						
001	ORDWAY / COLO.	Feb 7, 1893	CI 10P 27.0	T(m/d/y) S	Hstp	Target
001	ORDWAY / COLO.	Dec 11, 1895	CI 10P 27.0	T(m/d/y) S	Hstp	Target
001	ORDWAY / COLO.	Jun 2, 1901	CI 10P 27.0	T(m/d/y) S	Hstp	Target
002	ORDWAY / COLO.	Jun 15, 1897	CI 10P 28.0	T(m/d/h/y) S	Hstp	Cork, Smudge
002	ORDWAY / COLO.	Mar 13, 1899	CI 10P 28.0	T(m/d/h/y) S	Hstp	????
002	ORDWAY / COLO.	Mar 16, 1908	CI 10P 28.0	T(m/d/h/y) S	Hstp	Cork, Negative X-roads
002.0.1	ORDWAY, COLO. / REC'D. Type 2	Dec 22, 1904	CI 10P 29.0	T-S(m/d/y) RECD	Hstp	No killer; on card with

002.1	ORDWAY / COLO.	Jul 17, 1913	CI 10P 29.5	T(m/d/h/y)S	Dplx	Grid, 9 bar oval
002.1	ORDWAY / COLO.	Aug 6, 1913	CI 10P 29.5	T(m/d/h/y)S	Dplx	Grid, 9 bar oval
003	ORDWAY / COLO.	Jan 19, 1917	CI 10P 30.0	T(m/d/h/y)S	Dplx	Grid, 9 bar oval
003	ORDWAY / COLO.	Sep 30, 1921	CI 10P 30.0	T(m/d/h/y)S	Dplx	Grid, 9 bar oval
004	ORDWAY / COLO. M.O.B.	Aug 1, 1925	CI 11P 29.0/19.0	T(m/d/y)S-MOB	Hstp	No killer
004	ORDWAY / COLO. M.O.B.	Nov 3, 1927	CI 11P 29.0/19.0	T(m/d/y)S-MOB	Hstp	No killer
005	ORDWAY / COLO.	Nov 5, 1931	CI 10P 29.0	T(m/d/h/y)S	Dplx	Grid, oval 9 bar
005	ORDWAY / COLO.	Sep 8, 1965	CI 10P 29.0	T(m/d/h/y)S	Dplx	Grid, oval 9 bar
005.1	ORDWAY, / COLO. Box	1930s	RC 10P 36.0x20.0	T/S	Hstp	No killer, Parcel Post
006	ORDWAY, / COLO.	Jun 15, 1934	CI 10P 21.0	T-S(m-d/h)y	Mach	7 wavy lines
006	ORDWAY, / COLO.	Mar 8, 1965	CI 10P 21.0	T-S(m-d/h)y	Mach	7 wavy lines
006.1	ORDWAY, COLO. / REGISTERED	Apr 29, 1948	CI 11P 28.0/18.5	T-S(m/d/y)Reg	Hstp	No killer
006.2	Ordway	Apr 28, 1948	SL 00P 45.0x10.0	Aux	REGISTERED, used as killer	
007	ORDWAY / COLO.	Nov 25, 1965	CI 11P 30.0/19.0	T(m/d/y)S	Hstp	No killer
007.1	Ordway / COLO. Box style [On piece, 5c commemoratives]	1960s	RC 10P 37.0x18.0	T/S	Hstp	No killer, Parcel Post
008	ORDWAY, CO / 81063 commemorative stamp FDC	Jul 1, 1971	CI 10P 32.0	T-S(m/d/h/y)Z	4bar	S-25x20mm, UPSS
009	ORDWAY CO / 81063	Jun 2, 1975	CI 10P 32.0	T-S(m/d/h/y)Z	4bar	S-25x20mm
010	ORDWAY, CO 81063	Apr 27, 1971	CI 10P 21.0	T-S-Z(m-d/h)y	Mach	7 wavy lines
010	ORDWAY, CO 81063	Jan 6, 1976	CI 10P 21.0	T-S-Z(m-d/h)y	Mach	7 wavy lines

011	ORDWAY, CO / 81063	Dec 1, 1971	CI 10P 32.0	T-S(m/d/h/y) Z	4bar	S-24x18mm
011	ORDWAY, CO / 81063	Nov 19, 1979	CI 10P 32.0	T-S(m/d/h/y) Z	4bar	S-24x18mm
011.1	ORDWAY CO. / 81063	Feb 3, 1983	CI 10P 34.0	T-S(m/d/h/y) Z	4bar	S-25x19mm
011.2	ORDWAY, CO / 81063	Nov 20, 1987	CI 10P 31.0	T-S(m/d/h/y) Z	4bar	S-24x19mm
012	ORDWAY, CO / 81063	Feb 22, 1990	CI 10P 21.0	T-S(m-d/h/y) Z	Mach	7 wavy lines
012	ORDWAY, CO / 81063	Jul 2, 1990	CI 10P 21.0	T-S(m-d/h/y) Z	Mach	7 wavy lines
013	ORDWAY, CO / USPS Ordway Post Office	Feb 22, 1990	CI 11P 28.0/17.5	T-S(m/d/y) USPS	Hstp	No killer, on memo from
014	ORDWAY, CO / 81603 distorted	Apr 14, 1993	CI 10P ??.0	T-S(m/d/h/y) Z	4bar	S-27x24mm; Dial is badly
014	ORDWAY, CO / 81603 distorted	Apr 20, 1993	CI 10P ??.0	T-S(m/d/h/y) Z	4bar	S-27x24mm; Dial is badly
015	ORDWAY CO / 81063	May 14, 1997	CI 10P 32.0	T-S(m/d/h/y) Z	4bar	S-24x17mm
016	ORDWAY CO 81063 / USPS	May 14, 1997	CI 11P 28.0/18.5	T-S-Z(m/d/y) USPS	Hstp	No killer
017	ORDWAY CO 81063 / USPO	Jan 24, 2000	CI 11P 28.0/18.0	T-S-Z(m/d/y) USPS	Hstp	No killer
A01	Ordway	Apr 28, 1948	SL 00P 45.0x9.0	Aux		REGISTERED
A02	Ordway	Apr 28, 1948	SL 00P 48.0x5.0	Aux		Return Receipt Requested

PULTNEY - Crowley County
No postal markings reported.

SUGAR CITY - Crowley County
001 SUGAR CITY / COLO.

Jul 16, 1901 CI 10P 28.0 T(m/d/y) S Hstp Target, 4 ring 17mm

001	SUGAR CITY / COLO.	Aug 4, 1904	CI 10P 27.5	T(m/d/y) S	Hstp	Target
001	SUGAR CITY / COLO.	Dec --, 1906	CI 10P 27.5	T(m/d/y) S	Hstp	Target
001	SUGAR CITY / COLO.	Dec 27, 1906	CI 10P 27.5	T(m/d/y) S	Hstp	Target
001	SUGAR CITY / COLO.	Jun 25, 1907	CI 10P 27.5	T(m/d/y) S	Hstp	Target
002	SUGAR CITY / COLO.	Apr 9, 1909	CI 10P 29.0	T(m/d/h/y) S	Dplx	Grid, 9 bar oval
002	SUGAR CITY / COLO.	Oct 10, 1910	CI 10P 29.0	T(m/d/h/y) S	Dplx	Grid, 9 bar oval
002	SUGAR CITY / COLO.	Nov 5, 1914	CI 10P 29.0	T(m/d/h/y) S	Dplx	Grid, 9 bar oval
002	SUGAR CITY / COLO.	Mar 12, 1917	CI 10P 29.0	T(m/d/h/y) S	Dplx	Grid, 9 bar oval
003	SUGAR CITY / COLO.	Apr 15, 1925	CI 10P 29.0	T(m/d/h/y) S	Dplx	Grid, 9 bar oval
004	SUGAR CITY, COLO.	Oct 21, 1931	CI 10P 30.0	T-S(m/d/y/h)	4bar	S-25x19mm
004	SUGAR CITY, COLO.	Sep 3, 1935	CI 10P 30.0	T-S(m/d/y/h)	4bar	S-??x19mm
005	SUGAR CITY / COLO.	Dec 7, 1936	CI 10P 34.0	T(m/d/h/y) S	4bar	S-23x19mm
005	SUGAR CITY / COLO.	Jul 29, 1942	CI 10P 34.0	T(m/d/h/y) S	4bar	S-23x19mm
006	SUGAR CITY / COLO.	Apr 30, 1943	CI 10P 30.0	T(m-d/h/y) S	Dplx	Grid, diamond with 1
006	SUGAR CITY / COLO.	Oct 31, 1962	CI 10P 30.0	T(m-d/h/y) S	Dplx	Grid, diamond with 1
006.1	Sugar City / COLO. Box	1950s	RC 10P 40.0x19.0	T/S	Hstp	No killer, Parcel Post
007	SUGAR CITY, CO / 81076 service stamp FDC	Jul 3, 1965	CI 10P 32.5	T-S(m/d/h/y) Z	4bar	S-24x20mm, 8-cent postal
007	SUGAR CITY, CO / 81076 service stamp FDC	Jul 1, 1971	CI 10P 32.5	T-S(m/d/h/y) Z	4bar	S-24x20mm, 8-cent postal
008	SUGAR CITY, CO / 81076	Jun 2, 1975	CI 10P 33.0	T-S(m/d/h/y) Z	4bar	S-25x20mm
008	SUGAR CITY, CO / 81076	Nov 19, 1979	CI 10P 33.0	T-S(m/d/h/y) Z	4bar	S-25x20mm
009	SUGAR CITY, CO / 81076	Sep 20, 1974	CI 10P 23.0	T-S(m-d/h/y) Z	Mach	7 wavy lines
009	SUGAR CITY, CO / 81076	Jan 23, 1976	CI 10P 23.0	T-S(m-d/h/y) Z	Mach	7 wavy lines

010	SUGAR CITY CO / 81076	May 15 1991	CI 10P 31.0	T-S(m-d/y/h) Z	4bar	S-22x14mm
010	SUGAR CITY CO / 81076	May 14, 1997	CI 10P 31.0	T-S(m-d/y/h) Z	4bar	S-22x14mm
011	SUGAR CITY CO 81076 / USPS	May 14, 1997	CI 11P 29.0/19.0	T-S-Z(m/d/y) USPS	Hstp	No killer
012	SUGAR CITY CO / 81076	Feb 17, 2004	CI 10P 34.0	T-S(m/d/y/h) Z	4bar	s-20x16mm
012	SUGAR CITY CO / 81076	Feb 20, 2004	CI 10P 34.0	T-S(m/d/y/h) Z	4bar	s-20x16mm

WAIT – Crowley County

No postal markings reported.